

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	327	(BIST built\$1 near in\$1 near self near test) with (redundan\$3 spare replacement reserve) with memory	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L3	146	(BIST built\$1 near in\$1 near self near test) with ( bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L4	80	(BIST built\$1 near in\$1 near self near test) with ( bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L5	2893	memory with ( bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L6	77	L5 and L4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L7	2136	memory with (bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 column with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L8	62	L7 and L6	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L9	2177	memory with (bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 row with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L10	51	L9 and L8	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L11	22	L10 and (compar\$3 with (bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L12	18	L11 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15

L20	71	(ELLIS near WAYNE near F).in. (GORMAN near KEVIN near W).in.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L21	1	L20 and (weight near value with (fail\$3 defect\$3 fault\$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L22	1	L20 and (weight near value with (fail\$3 defect\$3 fault \$3))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L23	2	(weight near value with (fail \$3 defect\$3 fault\$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L24	2893	memory with ( bad fail\$4 defect\$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row) with address	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L25	825	L24 and ((compar\$3 count \$3) with (bad fail\$4 defect\$3 fault\$3 mal\$1 near function \$4 error deficien\$3) near14 (column row) near12 address)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L26	672	L25 and (@pd<"20040113" or @ad<"20040113" or @prad<"20040113" or @rlad<"20040113")	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L27	505	L26 and ((redundant repair \$3 fix\$3) with (row column))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L28	17	L27 and ((bad fail\$4 defect \$3 fault\$3 mal\$1 near function\$4 error deficien\$3) near12 (column row) with threshold)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 15:15
L30	11317	(LAVIGNE near BRUCE).in. (CASILLAS near SERGIO).in. (HEWLETT\$1 near1 PACKARD near DEVELOPMENT near COMPANY).as.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:22
L31	0	l30 and (bist and third near memory with column with row with fail\$3 near memory).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:24
L32	0	l30 and (bist and third near memory).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:26
L33	0	l30 and (bist and (fail\$3 defect\$3 fault\$3) with memory with column with row).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:27

L34	1	I30 and (bist and (fail\$3 defect\$3 fault\$3) with memory).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:27
L35	11	"714"/\$.ccls. and ((bist built \$1 near in\$1 near self\$1 near test) and (row with column with (fail\$4 fault\$3 defect\$3) with address\$3)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:37
L36	9	"714"/\$.ccls. and ((bist built \$1 near in\$1 near self\$1 near test) and (row with column with (fail\$4 fault\$3 defect\$3) with address\$3 and (first second third) with memory)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:41
L37	1	"714"/\$.ccls. and ((bist built \$1 near in\$1 near self\$1 near test) and (row with column with (fail\$4 fault\$3 defect\$3) with address\$3 and (first second third) with memory with (weight importance priority))).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:46
L38	1	((bist built\$1 near in\$1 near self\$1 near test) and (row with column with (fail\$4 fault \$3 defect\$3) with address\$3 and (first second third) with memory with (weight importance priority))).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:48
L39	12	((bist built\$1 near in\$1 near self\$1 near test) and (row with column with (fail\$4 fault \$3 defect\$3) with address\$3 and (first second third) with memory with (weight importance priority)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:48
L40	0	I30 and ((bist built\$1 near in \$1 near self\$1 near test) and (row with column with (fail\$4 fault\$3 defect\$3) with address\$3 and (first second third) with memory with (weight importance priority)))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:51
L41	0	I30 and ((bist built\$1 near in \$1 near self\$1 near test) and (weight importance priority)).clm.	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:52
L42	24	I30 and ((bist built\$1 near in \$1 near self\$1 near test) and (weight importance priority))	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:52

L43	16	(bist built\$1 near in\$1 near self\$1 near test) and (weight importance priority) with (fail \$3 defect\$3 fault\$3) with (row column)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2009/03/10 18:55
-----	----	---	--------------------------	----	----	------------------

**3/ 10/ 2009 6:58:32 PM**

**C:\ Documents and Settings\ gmerant\ My Documents\ EAST\ Workspaces\ 10\_707\_797.wsp**